

# PRO SHORE®

Pro Shore® is a high capacity shoring system that is easy to use, fast to erect and uses only a small number of components.



At Work For You™




At Work  
For You™

## Easy Shoring

Pro Shore® quick release 4-way drop head and the ability to change direction at any location, delivers fast and effective shoring solutions from simple to more complex pours.



# PRO SHORE®



## Product Benefits

### PRO SHORE®

Single universal drop-head for deck and plywood applications

Compatible for use with beams or panels

Large grid size minimizes vertical shores

Accommodates sloped slab pours

Compatible with GASS® System

# PRO SHORE<sup>®</sup>

## Technical Data

| Product Description | Slab Formwork  |
|---------------------|--|
| Standard Grid Size  | Up to 8 x 8 ft (6 x 8 ft standard)   |
| Primary Beam        | 6   8   10 ft  |
| Secondary Beam      | 4   5   6   8 ft   |
| Max. Slab Thickness | 14 in  |
| Relevant Standards  | Meets ANSI A10.9, CAN/CSA S269.1-M92   |
| Special Features    | <ul style="list-style-type: none"><li>• Quick release 4-way drop head</li><li>• Change direction at any location</li></ul> |

### ► PRO SHORE<sup>®</sup> Integrates with:

- GASS<sup>®</sup> through standard integration

### ► Application & Use

- Shoring & Re-Shoring applications
- Heavy slab shoring applications
- High rise, multi floor, typical flooring
- Commercial Applications
- Industrial Applications
- Infrastructure Applications